

INTERNET
SebaCloud™



Pressure logger



Noise logger



Data logger

SebaCloud™ web software

**Online access to all your data –
anytime and anyplace:**

- Leak noises
- Meter readings
- Flow rates
- Pressure ratios
- Alarm messages




sebaKMT
A member of Megger Group

SebaCloud – Leak location in the 21st century

Description

SebaCloud™ is the web software of SebaKMT and it provides an overview of your entire network all the time, enabling you to view current and historical measurement data and track how the readings change over long periods. As well as this, you can save pipe network data, correlate measurement results and use network diagnostic functions.

SebaCloud™ is compatible with all operating systems and terminal devices.




Online correlation of acoustic data from a Sebalog N-3 noise logger network

The online solution

With SebaCloud™ your data becomes mobile:



Using the web browser, you have constant access to exactly all the information and data you need:

- Leak noises
- Meter readings
- Flow rate
- Pressure ratios
- Alarm messages



Online flow rate monitoring with data from the SebaFlow ultrasonic testing device

All the information at a glance



SebaCloud – Exploit the benefits

Special features

Clear and comprehensive presentation of your water network

Remote configuration of important measurement parameters


Trunk main monitoring

Immediate warning of problems in the network operation

All pipe network data can be accessed at any time from in or out of the office

Integration in GIS / SCADA systems

Diagram of the GIS / SCADA system





Components for SebaCloud pipe network monitoring

Sebalog N-3 / N-3 Hydro

Noise logger for any situation

- For mobile application
- For use in permanent networks
- In combination with hydrophones



Sebalog P-3 / Sebalog P-3 Mini

The customised pressure logger

- Extremely small, robust and durable
- Wireless interface and large internal memory
- Connection directly on hydrants or using pressure hoses



Sebalog D-3 / Sebalog Dx

The universal data logger

- Large internal memory
- Integrated GPRS modem
- Non-stop real-time measuring



GSM Transmitter 3

Data transfer from noise level and pressure loggers

- Fits into small valve shafts and underground hydrants
- Up to 3 devices can be connected at the same time
- Batteries can be replaced by the user



SebaFlow

Stationary ultrasonic flow meter

- Installation without supply interruption
- No shaft construction necessary
- Precise readings even at low flow rates

